

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/10/2014
FORM APPROVED
OMB NO. 0938-0391

| | | | | | | | |
|---|---|--|--|--|--|--|----------------------------|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15K074 | | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | | (X3) DATE SURVEY COMPLETED C 06/19/2014 | |
| NAME OF PROVIDER OR SUPPLIER SAFE AT HOME | | | | STREET ADDRESS, CITY, STATE, ZIP CODE 1017 14TH STREET BEDFORD, IN 47421 | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | | (X5) COMPLETION DATE |
| G 000 | <p>INITIAL COMMENTS</p> <p>This was a federal home health complaint investigation.</p> <p>Complaint #: IN00147074 - Unsubstantiated: lack of sufficient evidence</p> <p>Survey Date: June 18-19, 2014</p> <p>Facility #: 012617</p> <p>Surveyor: Nina Koch, RN, PHNS</p> <p>Safe at Home Home was found to be in compliance with the Conditions of Participation 42 CFR 484.36 as related to this complaint.</p> <p>Quality Review: Joyce Elder, MSN, BSN, RN July 10, 2014</p> | | | G 000 | | | |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.